



City of Edmonds Grease Trap Maintenance Record

THIS SHEET MUST BE POSTED ON SITE AND AVAILABLE TO THE INSPECTOR

Business: _____ **Address:** _____

The cleaning schedule must be set so that oil/grease and settled solids do not displace more than 25% of the total volume of the unit. For example, if the water depth in the trap is 12", it must be cleaned before exceeding 3" of combined oil/grease and solids layers.

Approved cleaning schedule: _____

DATE	QUANTITY REMOVED	CLEANED BY	DATE	QUANTITY REMOVED	CLEANED BY

QUESTIONS?? Call the Pretreatment Technician: Ofc. – 425-771-0237 X 1355; Cell – 206-595-3117

(continued on back side)

GREASE TRAP MAINTENANCE RECORD

Approved cleaning schedule: _____

[illegible]

QUESTIONS?? Call the Pretreatment Technician: Ofc. – 425-672-5755; Cell – 206-595-3117



City of Edmonds Grease Interceptor Maintenance Record

THIS SHEET MUST BE POSTED ON SITE AND AVAILABLE TO THE INSPECTOR

Business: _____ **Address:** _____

The cleaning schedule must be set so that oil/grease and settled solids do not displace more than 25% of the volume of the main compartment. The entire contents of the tank must be pumped out by a grease hauler. Also record any maintenance or repairs.

Approved cleaning schedule: _____

DATE	PUMPED / REPAIRED BY	DATE	PUMPED / REPAIRED BY

QUESTIONS?? Call the Pretreatment Technician: Ofc. – 425-672-5755; Cell – 206-595-3117

(continued on back side)

GREASE INTERCEPTOR MAINTENANCE RECORD

Approved cleaning schedule: _____

[illegible]

QUESTIONS?? Call the Pretreatment Technician: Ofc. – 425-672-5755; Cell – 206-595-3117